



80EHD

1 1/4" 32 mm Full Circle, Brass Impact Sprinkler

Bearing: 1 1/4" Male NPT, Brass

Trajectory Angle: 27°

Operating Range: 25-100 psi 1.7-6.9 bars

Flow Rate: 17.1-127.7 GPM 2.88-2.9 m³/h

Radius: 61-116 ft. 18.6-35.4 meters

Features

- Heavy duty brass construction
- Internal plastic straightening vane
- Stainless steel springs and fulcrum pin
- Plastic bearing hood
- Chemically resistant washers
- Dual nozzle ports
- Two-year warranty

Benefits

- Internal straightening vane increases distance of throw
- Plastic bearing hood protects spring and bearing sleeve from damage
- Corrosion and grit resistant
- Built to last

U.S. STANDARD DATA

PERFORMANCE DATA

80EHD

STRAIGHT BORE NOZZLE (SBN-5) WITH PLUG* (Stream Height: 14 ft.)

PSI @ Nozzle	NOZZLE SIZE US STANDARD																			
	11/32"		3/8"		13/32"		7/16"		15/32"		1/2"		17/32"		9/16"		5/8"		11/16"	
	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM
25	61	17.10	62	20.30	64	23.40	66	26.70	66	30.30	66	33.80	66	37.10	66	42.30	66	51.50	66	61.90
30	64	18.80	65	22.30	68	25.70	69	29.30	72	33.20	73	37.10	73	40.80	73	46.40	73	56.50	73	68.10
35	67	20.30	68	24.10	72	27.80	74	31.70	77	35.90	79	40.10	79	44.10	79	50.20	79	61.10	79	73.80
40	69	21.80	71	25.80	75	29.70	77	33.90	80	38.50	83	42.90	83	47.20	86	53.70	86	65.40	86	79.20
45	71	23.10	73	27.40	77	31.60	79	36.00	82	40.80	85	45.60	88	50.10	90	57.10	92	69.50	92	84.20
50	73	24.40	75	28.90	79	33.30	81	38.00	84	43.10	87	48.10	90	52.90	94	60.20	95	73.30	97	88.90
55	75	25.50	77	30.30	81	34.90	83	39.70	86	45.30	89	50.30	92	55.60	96	63.20	99	77.30	100	93.50
60	77	25.80	79	30.80	83	35.90	86	41.60	88	47.40	91	53.00	94	58.80	97	65.50	101	80.10	104	97.80
65	79	26.90	81	32.00	84	37.40	87	43.30	90	49.90	93	55.30	96	61.20	99	69.40	102	84.40	106	102.00
70	81	28.10	83	33.30	86	38.90	89	45.10	91	51.40	94	57.50	98	63.50	101	72.20	104	87.80	108	106.00
75	82	29.20	84	34.50	87	40.30	90	46.80	93	53.30	96	59.60	99	65.80	102	74.90	105	91.00	109	109.90
80	83	30.40	86	35.70	89	41.80	92	48.40	94	55.10	97	61.60	101	68.10	104	77.50	107	94.10	110	113.70
85	85	31.50	87	37.00	90	43.20	93	50.00	96	56.90	99	63.50	102	70.30	105	80.00	108	97.10	112	117.30
90	86	32.70	89	38.30	92	44.60	95	51.50	97	58.50	100	65.30	104	72.40	106	82.20	110	99.90	113	120.90
95	87	33.90	90	39.50	93	46.00	96	53.00	98	60.00	101	67.10	105	74.40	108	84.30	111	102.60	115	124.30
100	88	34.00	91	40.70	94	47.40	97	54.50	99	61.50	102	68.90	106	76.40	109	87.20	112	105.20	116	127.70

* Nozzle and plugs must be purchased separately.

STRAIGHT BORE NOZZLE (SBN-5) AND SPREADER (LAN-1-20)* (Stream Height: 14 ft.)

PSI @ Nozzle	NOZZLE SIZE US STANDARD									
	11/32"		3/8"		13/32"		7/16"		15/32"	
	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM	Rad.	GPM
25	61	23.30	62	26.50	64	29.60	66	32.90	66	36.40
30	64	25.60	65	29.10	68	32.40	69	36.10	72	40.00
35	67	27.70	68	31.40	72	35.10	74	39.00	77	43.30
40	69	29.60	71	33.60	75	37.60	77	41.80	80	46.30
45	71	31.50	73	35.70	77	39.90	79	44.40	82	49.20
50	73	33.20	75	37.70	79	42.10	81	46.80	84	51.90
55	75	34.90	77	39.70	81	44.30	83	49.10	86	54.70
60	77	36.50	79	41.40	83	46.60	86	51.50	88	57.20
65	79	38.00	81	43.20	84	48.60	87	53.80	90	59.80
70	81	40.10	83	44.90	86	50.40	89	55.90	91	62.10
75	82	41.00	84	46.70	87	52.40	90	57.90	93	64.30
80	83	42.60	86	48.30	89	54.30	92	60.00	94	66.70
85	85	43.80	87	49.80	90	56.00	93	62.00	96	68.80
90	86	45.70	89	51.40	92	57.90	95	63.90	97	70.70
95	87	46.60	90	53.00	93	59.60	96	65.80	98	72.80
100	88	47.90	91	54.50	94	61.20	97	67.50	99	74.80

Part Numbers and Ordering Information

Sprinkler Only	U.S. Standard	Nozzle Only	XX = Nozzle Size												
			U.S. Standard	7/32"	11/32"	3/8"	13/32"	7/16"	15/32"	1/2"	17/32"	9/16"	5/8"	11/16"	
Sprinkler without Nozzle	A23802	Brass Straight Bore Nozzle	SBN-5	103043-XX	—	22	24	26	28	30	32	34	36	40	44
		Brass Low Pressure Nozzle	SPB-1	108149-XX	—	22	24	26	28	30	32	—	—	40	—
		Brass 20° Low Angle Spreader Nozzle	LPN-1-20	100226-XX	14	—	—	—	—	—	—	—	—	—	—
		Plug for 1/8" Spreader Port		100417	Bold nozzle size numbers denote the most common nozzle choices.										

METRIC DATA

PERFORMANCE DATA

80EHD

STRAIGHT BORE NOZZLE (SBN-5V) WITH PLUG* (Stream Height: 4.3m)

BARS @ Nozzle	NOZZLE SIZE METRIC														
	8.7 mm (11/32")			9.5 mm (3/8")			10.3 mm (13/32")			11.1 mm (7/16")			11.9 mm (15/32")		
	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)
1.7	18.6	1.08	3.88	18.9	1.28	4.61	19.5	1.48	5.31	20.1	1.68	6.06	20.1	1.91	6.88
2.0	19.3	1.16	4.19	19.6	1.38	4.97	20.5	1.59	5.73	20.8	1.82	6.53	21.6	2.06	7.41
2.5	20.6	1.30	4.69	21.0	1.55	5.57	22.2	1.78	6.42	22.8	2.03	7.32	23.7	2.31	8.30
3.0	21.5	1.43	5.16	22.1	1.70	6.11	23.3	1.96	7.05	23.9	2.23	8.03	24.8	2.53	9.11
3.5	22.3	1.55	5.58	22.9	1.84	6.61	24.2	2.12	7.62	24.8	2.41	8.69	25.7	2.74	9.86
4.0	23.2	1.62	5.83	23.8	1.93	6.95	25.1	2.24	8.06	25.8	2.58	9.27	26.6	2.94	10.57
4.5	24.1	1.70	6.12	24.7	2.02	7.28	25.6	2.36	8.51	26.5	2.74	9.85	27.4	3.15	11.35
5.0	24.8	1.81	6.51	25.4	2.14	7.70	26.4	2.50	8.99	27.3	2.90	10.43	28.0	3.30	11.89
5.5	25.3	1.91	6.89	26.2	2.25	8.09	27.1	2.63	9.47	28.0	3.05	10.97	28.6	3.47	12.49
6.0	26.0	2.02	7.26	26.8	2.37	8.52	27.7	2.76	9.94	28.6	3.19	11.49	29.4	3.63	13.07
6.5	26.5	2.13	7.66	27.4	2.48	8.93	28.3	2.89	10.40	29.2	3.33	11.98	29.8	3.77	13.57
6.9	26.8	2.15	7.72	27.7	2.57	9.24	28.7	2.99	10.77	29.6	3.44	12.38	30.2	3.88	13.97



80EHD

BARS @ Nozzle	NOZZLE SIZE METRIC														
	12.7 mm (1/2")			13.5 mm (17/32")			14.3 mm (9/16")			15.9 mm (5/8")			17.5 mm (11/16")		
	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)
1.7	20.1	2.13	7.68	20.1	2.34	8.43	20.1	2.67	9.61	20.1	3.25	11.70	20.1	3.91	14.06
2.0	21.8	2.30	8.27	21.8	2.53	9.10	21.8	2.87	10.35	21.8	3.50	12.60	21.8	4.22	15.18
2.5	24.4	2.57	9.26	24.4	2.83	10.19	24.6	3.22	11.60	24.6	3.92	14.12	24.6	4.74	17.06
3.0	25.7	2.83	10.17	26.4	3.11	11.18	27.1	3.54	12.73	27.5	4.31	15.50	27.5	5.22	18.78
3.5	26.6	3.05	11.00	27.5	3.36	12.10	28.7	3.83	13.77	29.1	4.66	16.78	29.7	5.65	20.34
4.0	27.5	3.27	11.79	28.4	3.63	13.06	29.4	4.07	14.66	30.5	4.98	17.93	31.2	6.06	21.82
4.5	28.4	3.49	12.58	29.3	3.87	13.92	30.2	4.39	15.79	31.1	5.33	19.20	32.3	6.45	23.21
5.0	29.0	3.69	13.29	30.0	4.08	14.68	30.9	4.64	16.70	31.8	5.64	20.30	33.1	6.81	24.51
5.5	29.5	3.88	13.96	30.7	4.29	15.44	31.7	4.88	17.57	32.6	5.93	21.33	33.5	7.16	25.77
6.0	30.3	4.05	14.58	31.3	4.49	16.15	32.1	5.10	18.37	33.2	6.20	22.30	34.3	7.49	26.96
6.5	30.7	4.22	15.17	32.0	4.67	16.83	32.8	5.30	19.07	33.8	6.45	23.21	35.0	7.81	28.11
6.9	31.1	4.35	15.65	32.3	4.82	17.35	33.2	5.50	19.81	34.1	6.64	23.89	35.4	8.06	29.00

STRAIGHT BORE NOZZLE (SBN-5) AND SPREADER (LAN-1-20)* (Stream Height: 4.3m)

BARS @ Nozzle	NOZZLE SIZE METRIC														
	8.7 mm x 5.56 mm (11/32" x 7/32") 20°			9.5 mm x 5.56 mm (3/8" x 7/32") 20°			10.3 mm x 5.56 mm (13/32" x 7/32") 20°			11.1 mm x 5.56 mm (7/16" x 7/32") 20°			11.9 mm x 5.56 mm (15/32" x 7/32") 20°		
	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)	Rad. (m)	Flow (lps)	Flow (m³/h)
1.7	18.6	1.47	5.29	18.9	1.67	6.02	19.5	1.87	6.72	20.1	2.08	7.47	20.1	2.30	8.27
2.0	19.3	1.59	5.71	19.6	1.80	6.49	20.5	2.01	7.23	20.8	2.24	8.05	21.6	2.48	8.92
2.5	20.6	1.78	6.40	21.0	2.02	7.25	22.2	2.25	8.11	22.8	2.50	9.01	23.7	2.78	10.00
3.0	21.5	1.95	7.02	22.1	2.21	7.96	23.3	2.47	8.90	23.9	2.75	9.90	24.8	3.05	10.97
3.5	22.3	2.11	7.60	22.9	2.40	8.63	24.2	2.68	9.63	24.8	2.97	10.71	25.7	3.30	11.88
4.0	23.2	2.26	8.14	23.8	2.57	9.25	25.1	2.88	10.37	25.8	3.19	11.48	26.6	3.54	12.76
4.5	24.1	2.40	8.65	24.7	2.73	9.83	25.6	3.07	11.06	26.5	3.40	12.24	27.4	3.78	13.60
5.0	24.8	2.56	9.21	25.4	2.89	10.40	25.5	3.24	11.67	27.3	3.59	12.92	28.0	3.99	14.35
5.5	25.3	2.68	9.65	26.2	3.04	10.95	27.0	3.42	12.31	28.0	3.78	13.60	28.6	4.20	15.12
6.0	26.0	2.81	10.12	26.8	3.18	11.45	27.7	3.58	12.89	28.6	3.96	14.25	29.4	4.39	15.79
6.5	26.5	2.93	10.55	27.4	3.33	11.98	28.3	3.74	13.48	29.2	4.13	14.88	29.8	4.57	16.46
6.9	26.8	3.02	10.88	27.7	3.44	12.38	28.7	3.86	13.90	29.6	4.26	15.33	30.2	4.72	16.99

* Nozzles must be purchased separately.
See Chart below.

Part Numbers and Ordering Information

Sprinkler Only		Nozzle Only													
Metric		XX = Nozzle Size													
		Metric													
		5.56mm	8.7 mm	9.5mm	10.3mm	11.1mm	11.9mm	12.7mm	13.5mm	14.3mm	15.9mm	17.5mm			
Sprinkler without Nozzle	A23802	Brass Straight Bore Nozzle	SBN-5	103043-XX	—	22	24	26	28	30	32	34	36	40	44
		Brass Low Pressure Nozzle	SPB-1	108149-XX	—	22	24	26	28	30	32	—	—	40	—
		Brass 20° Low Angle Spreader Nozzle	LAN-1-20	100226-XX	14	—	—	—	—	—	—	—	—	—	—
		Plug for 1/8" Spreader Port		100417											

Bold nozzle size numbers denote the most common nozzle choices.